

Yealink

Yealink One-Stop Solutions for Microsoft Teams

Empowering your Communication
and Collaboration



Topic

01

**Yealink &
Microsoft
Partnership**

02

**Yealink
Solution offer
& Yealink
Service**

03

**Yealink Partner
Program
-Registration Policy
- Demo/Spiff
Program**



Yealink

Global Leading UC&C Solution Provider

Market Value **\$10 Billion+**

TOP1

Number 1 SIP phone
provider globally since
2018

100+

Global and Local
Distributors

140+

Countries & Districts
Coverage

Yealink & Microsoft Partnership

Microsoft **TOP** Communications Partner

NO.1 Microsoft Teams Room OEM
YOY Growth

NO.1 Full-range Microsoft
Teams Certified solutions

NO.1 Microsoft Teams
Phone Market share

2021

- Fastest Growing Microsoft Team Room OEM
- AI Powered Intelligent meeting room solution
- Long term partnership and roadmap plan

2019

- FIRST Full-Range Teams desktop phones worldwide
- Microsoft Teams Room solution certified
- Full-Range product portfolio for Microsoft Teams

2018



FIRST Teams desktop phone
& conference phone
worldwide

2017



Yealink SFB phones
certified by Microsoft

2015



Yealink Lync phones
certified by Microsoft

Worldwide Business

Customer Preference

Healthcare



Education



Energy



Transportation



More Enterprise



“These devices are really changing the way our teams work and it’s only going to grow.”

Ibrar Hashmi, Digital Technology Project Manager for Walsall Healthcare NHS Trust.



Topic

01

Yealink &
Microsoft
Partnership

02

Yealink
Solution offer
& Yealink
Service

03

Yealink Partner
Program
-Registration Policy
- Demo/Spiff
Program

Yealink Voice & Video Device Portfolio for Microsoft Teams

Teams Audio Devices



MP50 – USB Phone



MP52



MP54



MP56



MP58



VP59



CP965

NEW

MTR on Windows



MVC400



MVC640-AI



MVC640-DECT



MVC840



MVC860



MVC900 Series

NEW

MTR on Android



A20



A30



MeetingBoard 65/86

NEW



DeskVision A24

NEW

Room Peripherals



Room Panel



Room Sensor

NEW

Headset



UH Series



WH Series



BH Series

NEW

USB Peripherals



UVC30
Whiteboard CAM



MSpeech
Intelligent Audio



UVC86
Intelligent Camera

NEW



WPP30
Wireless BYOD

NEW

Yealink Audio Devices Portfolio

for Microsoft Teams & Skype for Business

Certified for
Microsoft Teams

Certified for
Skype for Business



Desktop &
Conference Phone



**MP52
(Coming soon)**



MP54



MP56



MP58/MP58-WH



VP59



CP965



USB Phone
/Speakerphones
/Headsets



MP50



CP900



CP700



UH33




UH34



UH36 Mono/Dual



**Yealink Device
Management
Platform**



DECT Headsets



WH62



WH63



WH66



WH67



Yealink Audio & Video Devices Portfolio for Zoom



Comprehensive Portfolio for Every Space

Desktop IP Phones
DECT IP Phones
Conference phone



VP59

Video Phone

T5 Series

Business IP Phone



T4 Series

Ultra-elegant Business IP Phone



T3 Series

Basic Level Business IP Phone



W7X Series DECT Phone System

Professional Wireless DECT IP Phone



CP960

Medium-to large-sized meetings



CP920

Small-to-medium-sized meetings

Zoom Rooms System -
ZVC Series



ZVC300

Huddle and small space



ZVC400

Small space



ZVC640

Medium space



ZVC840

Large space



ZVC940

Extra-large space

Zoom Rooms Appliances -
MeetingBar
BYOD meeting kit



A20

Huddle and small space



A30

Medium space



UVC30-CP900-BYOD Kit



UVC40-BYOD Kit



UVC84-BYOD Kit

USB Camera
Headsets
Speakerphones
Accessories



USB Camera



Speakerphone



Headset



RoomCast
Wireless presentation system



RoomPanel
Scheduling panel

UC&C Full Range Solution



	Yealink	Poly	Crestron	Logi	Lenovo	AudioCodes	HP
USB Speakerphone	✓	✓					
USB Headsets	✓	✓		✓			
Desktop Phone	✓	✓				✓	
Conference Phone	✓	✓	✓				
MTR for Windows	✓	✓	✓	✓	✓		✓
MTR for Android	✓	✓		✓			
Video Phone	✓				✓		
Teams Room Panel	✓		✓				
AI Speakerphone	✓						
Roomcast, Room Sensor	✓						
Meeting Board	✓						
Collaboration Display	✓						

Benefits

- Lower purchase cost
- Same deployment & maintenance for IT engineers
- User-friendly experience for employees
- Single contact for any support



NEW

Yealink MeetingBoard 65



NEW

DeskVision A24

Yealink Video Devices Portfolio

Cover different size of meeting rooms



Focus and Huddle room(1-4)



Huddle and Small room(4-7)



Medium meeting room(7-11)



Large meeting room(12-18)



Extra-Large meeting room(up to 30)

MTR on Windows



MVC320



MVC400



MVC640



MVC-S60



MVC840



MVC940

Intelligent Teams Room



MVC660



MVC860



MVC960

MTR on Android



A10



A20



A30

Teams Display



A24



MeetingBoard 65"



MeetingBoard 86"

Yealink Full-scenario, All-style and One-stop Room Devices for Teams



Windows-based Teams Room System



MCore Base Kit

Mini-PC + Touch Console + Sharing

One-Brand Full Scenario Hardware Kits



MVC320
Huddle Room



MVC400
Small Room



MVC640
Medium Room



MVC840-wireless
Media-Large Room



MVC840
Large Room



MVC940
training Room

4K Tracking AI Meeting Camera



UVC30
4K/120°, Auto Framing



UVC40
20MP/133°, Auto Framing
Speaker Tracking



UVC84
4K, Auto Framing
12X Optical PTZ Camera



UVC86
4K, 12X
Optical PTZ Camera

- AI function
- Speaker Tracking
- Auto Framing
- Presenter Tracking


Full Scenario Audio Solution



CP900
Speakerphone



MSpeech
AI Speakerphone



CPW90
Wireless Mic
CPW90



VCM34
Cascaded tabletop array mic



VCM38
Cascaded ceiling array mic



MSpeaker II
Cascaded soundbar

* All cameras and audio devices can be freely selected

USB-BYOD Bring you PC for meeting



UVC30-CP900-BYOD
Focus room



UVC40-BYOD
Huddle and Small room



UVC84-BYOD Kit
Medium and Large room

MCore Base Kit

Mini-PC + Touch Console + Sharing



MCore

TV Area

One CAT5e cable (Up to 40-meter)

Power/Touch UI/HDMI Ingest/USB audio



MTouch II

Table Area

Yealink Core2 Kit

- **More integrated**, make HDMI ingest and Touch Console to be one device.
- CEC Support with the Motion Sensor in Mtouch II
- Use only one **CAT5e** cable from conference table to TV area, easy to be extended.
- Powerful CPU, upgrade from 7th-gen dual-core i5 CPU to **8th-gen quad-core i5**.
- Using **USB-C/HDMI wired sharing**, more popular sharing interface.
- Dedicated for Video Room System(not common PC in the market), **integrate cable management and wall mounted**.

MCore Mini-PC

Mini-PC Integrates cable management, ensuring security and stability



Dedicated for video room system :

- Integrate cable management
- 2 X HDMI output with CEC supported
- Bluetooth and Wi-Fi
- 1 x Yealink VCH port(RJ-45) ,connect to MTouch II
- 4 X USB3.0 Type-A
- 1 x 10/100/1000M Ethernet port
- 1 x Power port
- 1 x Security lock slot



FOC unit by default in MCore Package

Benefits of Yealink MVC Solution

Easy to deploy

- One Cat5e cable technology

Easy to use

- AI features: Auto Framing, Speaker Tracking, Presenter Tracking.
- Camera Control Plugin
- Wireless Presentation


Easy to customize

- Multiply Audio options, table mic, ceiling mic, wireless mic
- Multi Camera solution

Easy to join different meeting platforms

- BYOD Extender

MVC940/MVC960



- Multiple camera solution for extra-large meeting room, **up to 9** cameras.
- Built-in Camera control tool

Yealink UVC86



Sensor:

- Dual 8M pixels cameras

Field of View (diagonal):

- 120° / 90°

Zoom:

- 12x optical

Tracking Feature:

- Auto Framing
- **Speaker Tracking**
- **Presenter Tracking**



Wireless Presentation Dongle – **WPP20**



MVC-BYOD-Extender
for third-party meeting

Multi-camera Solution – AV Hub



Certified for
Microsoft Teams



Cameras are power over Ethernet, no extra power adapters required.

- Multi-camera layout
- Support up to **9** × UVC84/UVC86
- Support up to **8** × VCM34/VCM38 array microphones
- Broadly compatible with 3rd party DSP
- Audio & Video Processing Capability
- BYOD supported

Multiple Camera Solution



Dual-eye Smart Tracking Camera UVC86

for medium and large room



UVC86 for Medium and Large rooms

- **AI-Powered Features**

The **Presenter Tracking**, **Speaker Tracking** and **Auto Framing** features ensure people always be tracked and be seen within the field of view in only **4 seconds**.

- **4K Lossless Video Quality**

With a dual 4K camera and **12X optical zoom**, the UVC86 captures every person in the room as well as ensures lossless picture quality when zoomed in.



Auto Framing





Speaker Tracking



Presenter Tracking

Presenter Tracking –Stage Tracking



- Select the effective tracking zone to limit the tracking range of the stage tracking feature. This area is usually set to the area where the platform is located.
- Under the stage tracking mode, you can select the **tracking range** and adjust the **racking object ratio**.
- Once the tracking speaker stand out of the area, the camera **lost the tracking speaker and will switch to AF mode automatically.**

Full Scenario 4K Tracking Camera



UVC30 for Focus rooms

- 4K ultra-HD USB camera
- 120° field of view
- 3X digital zoom
- Auto Framing feature
- Presets feature
- Built-in 3-meter USB cable, 5m extension cable optional



UVC40 for Small rooms

- 20MP camera with 8x digital zoom
- 133° field of view
- Auto Framing & Speaker Tracking
- Presets feature
- Built-in 8 MEMS microphone arrays
- Electric lens cap
- 1x USB2.0 type-A port
- 1x Line-in audio port
- 1x power interface
- 1x VCR20 remote control



UVC84 for Medium and Large rooms


- 4K camera, 12X optical , 3x digital zoom
- 80° field of view
- Auto Framing
- Presets feature
- Pan range: ±100°, Tilt range: -90° ~ +40°
- 1x USB Type-B port
- 1x USB Type-A port
- 1x Yealink Audio port (RJ45)
- 1x 3.5mm line-out port
- 1x power port
- 1x VCR20 remote control




UVC86 Intelligent Camera

- PTZ camera: 4K, 20.4 x HD zoom (12x optical, 1.7x digital), 90° field of view
- Pan: ±100°, Tilt: +40°, -90°
- Panoramic Camera: 4K, 120° field of view
- Auto Framing, Speaker Tracking, Presenter Tracking
- Presets feature
- 1x USB Type-B port
- 1x USB Type-A port
- 1x Yealink Audio port (RJ45)
- 1x 3.5mm line-in port
- 1x power port
- 1x VCR20 remote control

Wireless Presentation via USB dongle



WPP20
Wireless presentation pod



Supported Models:


All MVC series/ A20/A30
ZVC400/ZVC840

- **Instant wireless sharing**, simply plug WPP20 dongle into PC to share content with a single touch.
- **Share anywhere** in meeting room without distance restriction, even for X-Large room.
- **Up to 4 wireless presentation dongle** for each MTouch II

Easy to join third-party meeting via BYOD-Extender



MVC-BYOD-Extender



Supported Models:


MVC400/MVC640-DECT/
MVC840/MVC940 with AV HUB
ZVC400/ZVC840

Benefits of Yealink MTRoW BYOD solution

- **Easily setup:** needs only add one simple extender to the MVC system, much easier deployment
- **Stability & Health:** two video output interface on Yealink Room USB camera, the USB camera & audio always connect with Mini-PC, when the system switch to USB-BYOD mode, the MTR system will not trigger USB devices **disconnection** alarm on Teams Admin Center.

Yealink RoomCast

Wireless BYOD Solution for Small Room– With Yealink UVC40 All-in-One USB Camera





Yealink vs Logitech


BYOD on MTR for Windows

Some weakness of the Logitech BYOM solution

- 1. Complex system:** needs two extender box which both needs power adapter. When you use the Logitech Swytch, you need to change the connections before used for MTR.
- 2. Hard to extend:** the system use **USB3.0** cable to cross the TV area and conference table area. USB3 cable is difficult to be extended.
- 3. Stability & Health:** every time when the system switch to USB-BYOD mode, the MSFT MMR shows system unhealthy due to USB camera disconnect.
- 4. Price:** the Logitech Swytch needs **999USD**.



MVC + RoomCast Wireless BYOD Solution:



Yealink RoomCast

Wireless Presentation System: Miracast, Airplay, Google Cast



Miracast

- For Windows laptops and Android phone
- Touchback & Extended Desktop support


Airplay

- For iPhone, iPad and MacBook


Google Cast

- For Chromebook, Android device, or Chrome Browser on any other device

Yealink RoomCast + USB Camera and Audio




Wireless BYOD Solution for Small Room
 With Yealink UVC40 All-in-One Camera



Wireless BYOD Solution for Medium-Large Room
 With Yealink UVC84/UVC86 PTZ Camera and Audio

Flexible Audio Options – MTR Windows

USB Camera integrates audio capability



MSpeech AI Speakerphone (max 1 unit)

- Intelligent speakerphone for MTR
- 6+1 beamforming mic array for AI speech
- 20(6-meter) voice pickup range



VCM36-W Wireless Mic (max 4 units)

- 20ft/3m voice pickup range of every mic unit
- 24 hours talking time, 14 days standby time
- Full duplex technology
- WAP2 & AES128 encryption



CPW90 Wireless Mics (max 2 sets)

- DECT technology, stable audio quality with Yealink Noise Proof Technology
- 10ft/3m voice pickup range of every mic unit
- Built-in Li-battery, 11 days standby, 19hours talking time



VCM38 Ceiling Mic (max 8 units)

- Built-in 8-microphone array
- 13ft (4m)/360° voice pickup range
- Yealink Noise Proof Technology



VCM34 Array Mic (max 6 units)

- Built-in 3-microphone array
- 20ft(6m)/360° voice pickup range
- Yealink Noise Proof Technology



VCM35 Table Mic (Pending)

- Built-in 3-microphone array
- 20ft(6m)/360° voice pickup range
- Yealink Noise Proof Technology



Yealink Teams Room Schedule Panel



- Metal frame design
- Slim and thin screen (9mm)



- 8-inch 1280x800 touch screen
- anti-fingerprint surface



- Proximity sensor embedded
- Active IR tech for automatic screen wake up



- Ambient light sensor integrated
- Automatic screen brightness adjustment



360CAM Intelligent Camera, 3rd-gen MTR is coming

Not just 360° but intelligent

GA: June 2023



Yealink **SmartVision60**

for Medium-size Rooms

MSRP: \$2,899




360° Teams Intelligent Camera

- Equal Layout and multi-stream
- People Identification
- Intelligent audio features: voice command, transcription, translation

Microsoft AI Features Concept Introduction

People Feed



Composite People Feed
Yealink (Multi-focus framing)



Multi-stream People Feed



SmartVision 60 is the first one to support Multi-stream people feed. The upcoming S Seires will all support the feature.

Yealink Pro AV solution

Third-party Compatibility



Yealink AV Integration Compatible List for Windows Based MTR

DSP	biamp. 	SHURE 	QSC 	
Meeting Control	Extron 	 	QSC 	AMX by HARMAN 
Mic and Sound Bar	biamp. 	SHURE 	 SENNHEISER 	nüreva 


3rd Party Audio Solution Compatibility

Support BYOD at the same time

AVHub & UVC86 & UVC84, compatible with Shure & Biamp etc. 3rd party Audio Solution




AV HUB BYOD and Third-party DSP connection




UVC86 USBA Port + DSP + Third Party Mic & Speaker

Connection Diagram-BIAMP as an example




Yealink Multiple Camera Solution + 3rd party Audio System

Examples of Room Configuration




- By connecting conferencing processor to Yealink AVHub, users can use 3rd party audio system in both **native Teams meeting** and other **BYOD meeting** on their own laptops.
- Capable of audio tuning on Yealink MCore mini-PC with Q-SYS/Shure software for customized audio requirement

Yealink MVC9x0 with Shure Mic: Automatic Preset Tracking




- UVC86 automatically switches to track the speaker when the camera detects a speaking **Shure MXA920 Mic**
- No need for manual switching



WHAT'S THE SOLUTION

The mic-camera linkage brings superior experience



[Watch Demo Video](#)

Preset/Speaker Tracking


Base on TCP/IP



IP-1: 10.xx.xx.01



Shure MXA910



IP-2: 10.xx.xx.02

AVHub+ 2x Yealink UVC86

CAT5e

TCP/IP Protocol



CAT5e

LAN

2. MAX910: < REP x AUTOMIX_GATE_OUT_EXT_SIG ON >

1.UVC86: < GET x AUTOMIX_GATE_OUT_EXT_SIG >

MXA910 always send the latest active mic number to camera whenever there is a change.

3.UVC86: Recall corresponding preset X

Shure MXA Series mic set up on Shure Designer

Online devices

Search



Add cross-subnet devices

IP scope: None

<input type="checkbox"/>	Device name ↑	Device model	IP address	Room	Firmware version	Available firmware	Release notes
<input type="checkbox"/>	MXA910-1	MXA910	10.58.24.15	New room	4.6.6	●	
<input type="checkbox"/>	P300-1	P300	10.58.24.22	New room	4.6.6	●	

- **Configure each mic channel** accordingly in actual room
- **Obtain the IP of Shure Mic**

New room
File Edit View Window Help
This room is in live mode.

New room Routing Coverage map Save a copy...

Online devices
Search
No online devices available

Add at least one microphone and a processor to the room. Re-optimize after adding new devices.

2 online devices 32 Update available

SHURE

Add at least one microphone and a processor to the room. Re-optimize after adding new devices.


Dante channel name
Channel 1

Shape
Lobe width
Wide 3.79 (m)

Control
-60 -48 -36 -24 -12 0
dBFS
Gain (dB)
0

Mute


Shure Mic channel bind UVC86 presets on Yealink RoomConnect




Singe camera auto switching from one to another



Layout



UVC86 & AV-HUB Compatibility Overview



Yealink/DSP Audio system






UVC84/UVC86/AV-HUB



Teams-Certified Mini-PC
(Yealink/Dell/Lenovo/ASUS/Intel)

Easy to Control Camera with **Any PC**




Yealink MVC with AV Integration Vendor
Meeting Control Integration Solution
(HTML5)

ProAV – Yealink Room Control Integration*


All Room Control in One Touch Panel

- Yealink MTR system easily integrated and full compatible with QSC, Extron, AMX, Crestron Room Control Page.
- Flexible switch between tabs, retains the advantage of Yealink native camera control for Multi-camera.


Room Control Page including Audio and Room Environment




Extron



AMX





QSC




Crestron

Camera Control Page




* ETA. Mid of SEP, 22

Add a Room Control page on Yealink RoomConnect



1. DSP or Central Controller that supporting html5 page will generate an URL
2. Go to YRC and find the Room Control settings.

1. Enable the Room Control feature
2. Add the URL to Web Address





QSC HTML Advance Mic Control

User Guide-QSC design

11. **Open the UCI in New Window** to get the URL created by Q-SYS Core.

12. Copy the URL.



UVC86 Dual-Eye Camera

Support HDMI Out




Key SPEC:

- **Dual-eye camera system** for better tracking and video quality
- **4K/90°/12X optical PTZ + 4K/120°/3X digital**
- **1 x HDMI out**
- 1 x Yealink VCH port (RJ45) for audio devices, BYOD extender or Yealink Codec
- 1 x USB 3.0 Type-B
- 1 x USB 2.0 Type-A





UVC86 HDMI OUT

AVHub + Multiple UVC86 Auto Tracking Feature



Video Fence




Each UVC86 is given a preset area; As shown in the picture, UVC86-A is responsible for 1-3 speakers, and UVC86-B is responsible for 4-6 speakers.

For example, if there is A speaker in area A, UVC86 will feedback a timestamp to AV hub. When the speaker speaks, AV hub will receive many video streams with time stamp. AV hub will finally splice the video streams with timestamp information.

AVHub + multiple UVC86



UVC86-B



Speaker 1

Speaker 2

Speaker 3

Speaker 4

Speaker 5

Speaker 6



Active Speaker 1


Active Speaker 2

Active Speaker 3

Active Speaker 4

Active Speaker 5

Time Stamp



Most Active Speaker 1

Most Active Speaker 2

Most Active Speaker 3

Most Active Speaker 4

Division



4 most active speakers

Surround



Active speaker as main picture

- **Division Mode:** The video stream layout will always show the four most recent speakers, and when new speakers join, it will refresh the speaker from left to right and from top to bottom.
- **Surround Mode:** 1+ N layout, the largest screen is the latest and current speaker, the other participants are in surround mode.


This effect is based on the processing of AV Hub and the function of voice tracking.

Mic-Camera Linkage

Yealink Native Audio System with Separate Mic Mute Control

The screenshot displays the Yealink RoomConnect web interface for a 'Camera - AVHub'. The left sidebar contains navigation options: Device Settings, Image Setting, Settings, Audio Settings, Upgrade, Recovery, Mic and Camera L... (highlighted with a red box), and Device Diagnose. The main content area is titled 'Camera - AVHub' and features a 'Mic and Camera Linkage' toggle switch (turned on, highlighted with a red box). Below this is the 'Default Screen' section with 'Layout' and 'Camera Control' options (both highlighted with a red box). The 'Mic Camera Bind' section shows a device 'VCM34-MVC400' with details: Product Model:VCM34, Hardware Version:98.1.2.0.0.0.0, and Status of binding:Bound. An 'Unbind all' button is present, and a 'Bind' button is visible for the device.


Merge Two Rooms Into One By Simple Configuration



Dedicate Hardware solution for ProAV Senario


AV Hub+Yealink Audio (VCM34/35/38/MspeakerII)

Scenarios: Combine Camera and Audio Devices into One Room



Yealink Management Platform

Yealink Device Management Service



Dashboard



Monitoring and Alert



Update & Config




Remote Diagnosis



Open API

Remote Device Management for Yealink MTR

Key Features




1. Dashboard

- Company room system statistics
- Room System Status: **Online** or **Offline**
- Connection Status of peripherals: **Connect** or **Disconnect**
- Firmware version of peripherals: Camera/Microphone/MShare

2. Monitoring & Alarm

- Preset alarm events:
 - (1) Peripherals **disconnecting** from Mini-PC: MTouch, MShare and Camera, etc.
 - (2) **Low battery or power down of** Wireless microphone
- Notice the IT administrator timely through both **email** and **dashboard** with accurate time point.



Remote Device Management for Yealink MTR

Key Features

3. Remote Control & Diagnostics

- **Remote Reboot**
Reboot room system to recover it when it is necessary.


- **Reset Camera and MShare, etc.**
Reset your device sitting before your computer instead of going to each meeting room.

- **Export the log files instantly**
When you need to do some troubleshooting. Simply choose the device your want to diagnose, export its log instantly.

4. Open API

The screenshot shows the 'Device List' interface with the following elements:

- Buttons: + Add Device, Import, Export, Refresh
- Search: Device/MAC/Account Info/IP
- Actions: 0 selected, Delete, Site settings, Update Configuration File, Update Firmware, Update Resource File, More
- Table:

MAC	Model	Device Name	IP	Firmware Version	Status	Site	Report Time	Operation
805ec02a3e5c	MVC500	test1	--	--	Offline	test0002	--	

An arrow points to the 'Diagnose' icon with the label 'Diagnose'.


Yealink Device Management Platform

Yealink Pros


- ✓ Easy batch deployment, support Teams account settings
- ✓ Device Topology View
- ✓ Powerful device management platform, support remote desktop, very fluent

Device Topology

← Associated Device Detail

	Meeting Room:	zqs	IP:	10.86.3.43	Site:	142-balyf-美国修改
	Device Model:	MVC900	MAC:	a4179111dbff	Operating System:	Windows 10 Enterprise ...

Delete Reboot Reset To Factory Update Firmware List **Topology**




Online —
Offline —
Invalidation —
Note: Drag the topology to move the view range

The diagram shows a central device icon connected to four other devices. A red line labeled 'USB' connects the central device to a laptop icon above it. A green line labeled 'Ethernet' connects the central device to a laptop icon to its right. A red line labeled 'USB' connects the central device to a laptop icon to its left. A red line labeled 'Ethernet' connects the central device to three laptop icons below it.

Remote Control

Yealink Management Cloud Service - Enterprise 142-balyf-美国修改

← Device Diagnostic

	Meeting Room:	zqs	IP:	10.86.3.43
	Device Model:	MVC900	MAC:	a4179111dbff

Export System Log Screen Capture **Remote Control**

Reboot Reset to factory Update Firmware

The screenshot shows a web interface for 'Device Diagnostic'. It includes a table with device details, a 'Diagnosis tool' section with buttons for 'Export System Log', 'Screen Capture', and 'Remote Control', and a 'More' section with buttons for 'Reboot', 'Reset to factory', and 'Update Firmware'. A sidebar on the left lists various management functions, with 'Device Diagnostic' highlighted.


*Contact Yealink to use Remote Control service

*Yealink Room Connect Version higher than V2.24.34.0


- Home
- Device Management
 - Phone Device
 - USB Device
 - Room System
 - Workspace Device
- Firmware Management
- Software Management
- Resource Management
- Account Management
- Device Configuration
- Site Management
- Task Management
- Alarm Management
- Device Diagnostic**
- Dashboard
- Order Management
- System Management


Device Diagnostic


Diagnostic Assistance

	Meeting Room	zqs	IP	10.86.3.43
	Device Model	MVC900	MAC	a4179111dbff


Diagnosis tool


 Export System Log

 Screen Capture

 Remote Control

More

 Reboot

 Reset to factory

 Update Firmware

Yealink Andorid Video Devices Portfolio

Cover different size of meeting rooms



Focus and Huddle room(1-4) Huddle and Small room(4-7) Medium meeting room(7-11) Large meeting room(12-18) Extra-Large meeting room(up to 30)

MTR on Android


NEW



A10 A20 A30

Teams Display

NEW



A24 MeetingBoard 65" MeetingBoard 86"

A20 & A30 all-in-one MTR for Android



- **All-in-one, Plug and play**
- Qualcomm high perf chipset
- 20MP Camera with 1-inch Sony CMOS sensor/133° FoV/8X digit zoom
- **AI features:** Auto framing, Speaker tracking
- Built-in 8 MEMS microphone arrays and speaker
- **Full duplex voice experience with Yealink Noise Proof Technology**
- Ideal for small and huddle rooms(up to 7 people)

- **All-in-one, Plug and play**
- Qualcomm high perf chipset
- **Dual camera system**, one with super wide view FoV and one with optical PTZ camera
- **AI features:** Auto framing, Speaker tracking
- Built-in 8 MEMS microphone arrays and 2 speakers
- **Full duplex voice experience with Yealink Noise Proof Technology**
- Ideal for medium rooms(up to 11 people)

Benefits of Yealink Android Solution

Easy to deploy

- No cable from TV to table

Easy to use

- AI features, auto framing, speaker tracking
- Electric Len Cap
- Wireless Presentation & Wireless BYOD

Easy to join different meeting platforms

- Device mode
- Easy to Switch Between Teams & Zoom



Easy Deployment

No cable crossing between the TV and the desktop area



Android

Deployment of MVC400-Windows Solution



Windows

Easy to Use | AI-powered video Experience

Intelligent Video Meetings



Auto Framing

frame and captures everyone in detail



Multi-Focus Framing*

Participants can be viewed better in gallery layout



Speaker Tracking

switch automatically between active speakers



PiP Mode*

View speaker and group people simultaneously

* ETA on Dec release


WPP30 Wireless BYOD & Presentation

One Dongle for
Wireless BYOD
Wireless Presentation




BYOD & Presentation solution

WPP30 Wireless BYOD solution




VCH51 one cable BYOD solution



Multiple Platform Easy to switch




- Support video conference platform such as Teams, Zoom, USB-BYOD Mode
- Mode switching can be done on CTP18 Touch Panel.
- No need to reboot, CTP18 will switch to the same mode for synchronization.
- BYOD USB mode can be used for other video conference platform.



Teams



Zoom



USB-BYOD Mode


Support VCM36-W as extension microphone*

Pair Process:

1. Turn on the Wireless AP on the MeetingBar (in Device Settings).
2. Connect VCM36-W mic (not charging base) with MeetingBar via USB cable for pairing.



- Support **6 meters** voice pickup range
- Full duplex experience
- **24 hours talking time, 14 days standby time**
- Standard Charging dock
- A20 support one, A30 support 2 VCM36
- WAP2 & AES128 encryption



Video Fence

➤ **Scenario:**


Glass-walled meeting rooms
Open Area

➤ **Setting:**

system settings (admin)

➤ **Effective scope:**

1. Enable AI features within the set range
2. All AI features work
3. Best partner: AF



Yealink MeetingBoard 65/86 with Native Teams and ZOOM

NEW



MB65: **\$4,799**


MB86: **\$7,799**

Target Scenario

- Collaborative space
- Small to large rooms

Key Spec and Benefit

- Truly all-in-one, easy to setup and manage, integrates large touchable display, computing unit, 4K camera, 16 mics, 6 speakers.
- Yealink Enhanced Audio 2.0, supports AI-based Noise Cancellation and De-reverberation
- Microsoft Whiteboard features
- Strong Extendibility
 - Extended PTZ camera, to build a dual-cam system for larger rooms
 - Extended wireless microphones
 - Extended 2ND touchable display
 - Extended Windows mini-PC Module (OPS)



Fit to All Rooms

01 Wireless Expansion Microphones



02 Touch Console



03 RoomPanel



04 RoomSensor



05 Detachable Optical PTZ Camera



06 Extended to A Medium or Large Meeting Space



Powerful Accessories, To Be Extensible


Modularized Dual OS System

- Optional Windows OPS Module
- Designed for some scenarios that the Windows OS is necessary, eg. Education, Manufactory



Upgradable Android Mainboard Module

No need to change the whole device for hardware upgrade but just replace the mainboard OPS module for performance and Android OS version upgrade.



A24 Spec



Screen Specifications	Dimensions	23.8 inch
	Resolution	1920 x 1080
	Refresh Rate	60Hz
	Color Depth	8 bit
	Contrast Ratio	1000:1
	Viewing angle	Horizontal: 178° Pitch: 178°
	Multi-touch	10 points
Camera Specifications	Camera FOV	83°
	Video Specifications	Up to 1080p30 Video Call
	Privacy protection	Automatically lifted or manually controlled lift
Audio Specifications	Microphone Type	Built-in Dual Microphones
	Intelligent noise cancellation technology	v
	Speaker	Built-in Stereo Speaker
Application Mode	Dual Mode	Built-in Android + Monitor Mode
	Android System	supports 2.4G / 5G dual-mode Wi-Fi Support Bluetooth 4.2
Physical interface	HDMI in	1
	USB-C	1x USB-C 3.0 upstream, DP-IN, provide PD up to 45w
		1x USB-C 3.0 downstream, to connect to headphones Only supports the use of PCs connected to the USB-C upstream interface
	USB-A	2x USB-A 3.0 downstream interfaces for connecting peripherals,
		1x USB-A 2.0 downstream interface, used to connect to headphones
	Power	DC 19V
	Wireless Charging	Support wireless charging for mobile phone
	Button	Power、Volume、Mute、Camera on/off、switch mode、Custom key

MeetingBar A10


ALL-IN-ONE MEETING BAR
FOR HUDDLE SPACES & HOME OFFICE

ALL-IN-ONE DESIGN

Built-in computing unit, camera, Wi-Fi & Bluetooth, mics and speaker

CLEAN DESK

No cable crossing between the TV and the desktop area, no need to modify the meeting room



Yealink Entry-level Android video bar – A10

SIMPLE, PRO, AFFORDABLE

GA: Feb 2023



Yealink MeetingBar A10

Price started from \$999

Optional Accessories



CTP18 touch console



Wireless sharing dongle

Positioning

- BYOD users
- Small and Huddle rooms

Key Spec and Benefits

- All-in-one, integrates computing unit, 4K camera, 8mics, speaker and TV Clip.
- Three mode in one SKU: Device mode(USB-BYOD + Present), TeamsRooms and ZoomRooms
- Tiny and easy setup, the length is only 38cm.
- Android 11 OS
- 4K camera / 120° Field-of-view / Electric privacy shutter
- Auto framing / Speaker tracking
- 1x USB-C port and cable for wired sharing
- WPP30 for Wireless presentation and BYOD
- Wi-Fi and Bluetooth
- Managed by Yealink DM platform, Microsoft TAC, and ZOOM ZDM

Simple to Make Room Right



Huddle Space






Kiosk/Reservation Desk



Phone Room






Home Office



MeetingBar A10 optimizes your huddle space design and minimizes visible cabling with diverse mounting options.

MeetingBar Comparison

Yealink A10	Yealink A20	Yealink A30
		
Description:Yealink A10	Description:Yealink A20	Description:Yealink A30
Vendor:Yealink	Vendor:Yealink	Vendor:Yealink
MegaPixels:8	MegaPixels: 20	MegaPixels:8
Picture in Picture:No	Picture in Picture:Yes	Picture in Picture:Yes
MultiFoucs:No	MultiFoucs:Yes	MultiFoucs:No
Optical Zoom:0	Optical Zoom:0	Optical Zoom: 3.5
Digital Zoom:4	Digital Zoom: 8	Digital Zoom:3
Total Zoom:4	Total Zoom:8	Total Zoom: 10.5
Diagonal Field Of View:120	Diagonal Field Of View: 133	Diagonal Field Of View:120
Horizontal Field Of View: 105	Horizontal Field Of View:0	Horizontal Field Of View:0
HDMI-out:1	HDMI-out: 2	HDMI-out: 2
Voice Pickup Range:4.5	Voice Pickup Range: 6	Voice Pickup Range: 6
Add-on Mics at Maximum:Unknown	Add-on Mics at Maximum:1 * VCM3	Add-on Mics at Maximum:2 * VCM3
Build-in Speakers:1	Build-in Speakers:1	Build-in Speakers: 2
USB-A 3.0:0	USB-A 3.0:0	USB-A 3.0: 1

Yealink

Yealink Free Support for Partner

Empower Communication and Collaboration



Free Help Desk Service



24 x 5 Ticket Support with escalation

Tier 1 : Raise a Ticket on <https://ticket.yealink.com>

- For Video Opportunity **less than 15 units**, Voice Opportunity **less than 500 units**.
- Response time within **24 hours for P1/P2 issue, 48 hours for P3/P4 issues in working days**.

Tier 2: Contact dedicated FAE/SE

- Only for Video Opportunity **over 15 units**, Voice Opportunity **over 500 units**.
- Response time with **24 hours for P1/P2 issue, 48 hours for P3/P4 issues in working days**.

Priority Definition	
P1	Outage situation, affect data or voice service/traffic
P2	Impact normal use, need to fix ASAP
P3	Not impact normal use, will fix to help improve the user experience
P4	Not impact normal use, features requirement and bugs will develop in the future



Hotline Support 5*12 (EST) (US Only)

Yealink global team is available to assist you with a variety of requirements, and to get you up-and-running with your business.



Solution Consulting Service



Trouble Shooting Guidance



Pre-Sales/Post-Sales Support

Service Flowchart

Partner
Contact sales rep



Sales
Provide exclusive Hotline

Precondition

Annual potential sales volume > 100 room systems

OR

SLA emergency escalation < 2 hours




Free 2 Years warranty




- 2 years free warranty for Yealink Meetingbar Series
- Up to 5 years warranty with add-on extended warranty service

Extended Warranty Workflow



Free 3 Years Professional YMCS Subscription



Dashboard



Monitoring and Alert



Update & Config



Remote Diagnosis



Open API

Workflow

1

Customer

Decided to use YMCS as management service tool

2

Reseller

Contact Distributor/Yealink to create the tenant for customer by providing:
Customer Company Name
Administrator Email Account

3

Distributor/Yealink

Create tenant and add 3 years free professional service package for customer.

4

Customer

Received email to activate tenant.
 Register product to YMCS portal.

Free Advance Replacement in next 3 days

Yealink has invested two regional return merchandise authorization (RMA) centers to improve customer satisfaction by simplifying the warranty replacement and return process and reducing the turnaround time.



8 * 5 Business Hours Support

4-9 Days turnaround time


➤ 2 Business Days for Hardware issue confirm

➤ 1-2 Business Days for shipping out parts

➤ 2-5 Days for delivery to customer

*UK&I & ANZ RMA covered by distributor

RMA Service Workflow



<https://ticket.yealink.com/page/create-hardware.html?questionType=1>

Local Support

Yealink Local Team provides remote and on-site support throughout the sales and deployment process in different region.



Dedicated AE&SA



Solution Consulting Service



Solution Design Service



On-site Trouble Shooting



On-site Demo



On-site/ Online Training

On-site Service Flowchart

Customer
Contact AE



AE
Respond & provide required
services

Precondition ((varied by country))

Fortune 500 company

OR

Project potential
50+ Room Devices

*Available in US/UK&I/France, more countries will be added.



Yealink live Demo Service to Accelerate your Business



Division Mode of Yealink MVC940 System
4 Cameras Enabled

Live Demo Room in HQ

The Live Demo Service is open for Yealink partners to book, we have professional expert to host the meeting and do live demo for your clients. Helping to understand your clients' demands, offering best recommendation.



Overview of Yealink Live Demo Room

How To Book a Live Demo

<https://support.yealink.com/en/portal/liveDemo>

Note

- Open for the client who has requirement of at least 10 room devices or 100 phone devices
- Yealink expert will send out Teams meeting invitation after confirm the meeting time

Yealink Room Configurator

An online tool to configure your meeting space with the right video collaboration devices




Room customization

Customize your rooms with best fit cameras and mics




Cabling Design

Show how concise the cable runs in the deployment



Device Coverage

Right coverage helps to set components in right position



<https://support.yealink.com/en/room-configurator/design>

YEALINK SECURITY

Yealink is a non-governmental, privately held, publicly traded company that follows all existing public company regulations and norms, displaying our commercial integrity and independence. At Yealink, information security is a top priority across all our products and services.

Security Management System Certification



SOC 2



ISO/IEC 27001:2013

Data Protection Certification



GDPR

Top UCaaS Brand Certification



Penetration Test by Independent Leading Labs



DM Built on Trusted Cloud



Windows-based Solution Chipset Provider



Android-based Solution Chipset Provider



Key Components Provider



Chosen by Telecom Giants



Chosen by Fortune 500 Company



Company-level Security

Product-level Security

Supply Chain Security

Chosen by Global Top Brands